NEW

E-BIKE LIGHT

24PCS COB LED CHIPS

Dimension (LxHxW): 54 x 22.6x19.7mm
(w/o bracket)
Weight (w/ cable): 63.8g (w/ carrier adapter)

WHAT'S IN THE PACKAGE

E-bike tail light with brake signal
For 30mm - 31.8mm seat post
For E-bicycle's rear carriers (for 80mm)
Function: Constant lighting / Brake lighting
Cable length: 130CM (3 cores)
Color: Black alu frame + red lens
Material: Aluminum alloy + Plastic

LW-T54E

Constant 20 lumens Brake 50 lumens	24PCS COB LED CHIPS	WATTAGE: CONSTANT 1W / BRAKE 2.5W	VOLTAGE: DC 3.7V-15V	IP65 WATERPROOF	CNC	ALLOY

NEW

Aluminum alloy bracket ▸

USB TYPE-C

POWER BANK



Mode & Runtime:

High beam or Low beam (600 lumens):
100% steady(7h+1h safe mode)-50% steady (14h+1h safe mode)-25% steady (28h+1h safe mode)-Slow flash（28h)-SOS（28h）
Ultra bright mode 1500 lumens(double click any switch when it is on): 2.5h+1h safe mode
Operation: Press & hold 1s to switch on/off, single click switch to change mode, double click any switch to enter into ultra bright mode.
Power bank output: USB A (5.0V/2A)
With mode memory function

Size(w/o bracket):
L113XW33XH33(Tail)/H40(Front)mm
Net weight (w/ bracket): 232g

BATTERY STATUS

With digital display for the remaining battery power's percentage
(100, 99,98 ...0)

WHAT'S IN THE PACKAGE

Handlebar fit:
21MM - 38MM

GOPRO Mount

SAFE MODE When the battery is low, the light will turn to 50 lumens safe mode automatically and last for another 1 hour.

LW-F1400

1500 LUMENS	3*CREE XP-G3 LED	TYPE C	4800 MAH LI-ION BATTERY WITH PROTECTION PCB	IP65 WATERPROOF	CNC	ALLOY

NEW

E-BIKE LIGHT

E-bike light
Anti-glare lense design
Max lumens: 1600 lumens
LED type: 2*Samsung LH351D LED
Mode: 25%-50%-100%-flash
With thermostat chip to protect the light from over-heating
Accessories: Fork GoPro holder and nuts and screws
Cable length: 130CM

Size (W/O bracket):
45(L)*43.5(W)*31.5(D)MM
N.W (W/ bracket): 110g

2*Samsung LH351D LED

E-BIKE LIGHT

31.8MM HANDLEBAR MOUNT

WHAT'S IN THE PACKAGE

LW-F1600E

1600 LUMENS	2*Samsung LH351D LED	VOLTAGE: DC 5V-15V	IP65 WATERPROOF	CNC	ALLOY

NEW

E-BIKE LIGHT

StVZO standard

E-bike light
Anti-glare lens
Max lumens: 900 lumens
LED type: 1*Samsung LH351D LED
Mode: 25%-50%-100%-flash
With thermostat chip to protect the light from over-heating
Accessories: Fork GoPro holder and nuts and screws
Cable length: 130CM

Size (W/O bracket):
45(L)*43.5(W)*31.5(D)MM
N.W (W/ bracket): 108g

1*Samsung LH351D LED

StVZO standard

31.8MM HANDLEBAR MOUNT

WHAT'S IN THE PACKAGE

LW-F900E

900 LUMENS

1*Samsung LH351D LED

VOLTAGE: DC 5V-15V

IP65 WATERPROOF

CNC

ALLOY

LW-HOLDER01

Aluminum bike computer mount with GOPRO holder
Material: Aluminum alloy (Mount parts) / Plastic (adapters, etc.)
Finish: CNC maching & Anodizing
Fit for: GARMIN series, Cateye series, Bryton series, WAHOO series, GOPRO mount, Flashlight
Net weight with one of the adapter and the GOPRO mount: 58g
Application: GOPRO Sports camera, flashlight, Wahoo, Garmin, Bryton and Cateye bike computer, and other GOPRO devices

Handlebar fit: 31.8MM / 35MM

LW-HOLDER02

Aluminum GOPRO holder for bike forks
Finish: CNC maching & Anodizing
Material: Aluminum alloy
Fit for GOPRO mounts

NEW

Size (W/O bracket):
38.5(L)*29(W)*32.2(D)MM

N.W (W/ bracket): 40.3g



DAYTIME
RUNNING LIGHT

WHAT'S IN THE PACKAGE



BRAKE SENSOR

When it senses brake, A&B will shine in 100% steady for 3 seconds and then it will return to the original mode automatically.

Mode & Runtime:

Mode: Long press = on/off，When it is on, click switch to change modes: 50% A&B both slow flash（2HZ, 5h+20mins)-60% A&B flash alternately (3.5h+20mins) - 50% B 1HZ+50% A 2HZ flash alternately (6h+20mins) - breathing (Both A & B, 3.5h+20mins)- 50% A steady & 50% B flash (2hz, 3h+20mins)
Double click to toggle between flash modes and steady modes
Steady modes：A 60% steady (B off, 6h+20mins)- B 60% steady (A off, 3h+20mins)- A&B 30% steady (4h+20mins)- A&B 60% steady (2.5h+20mins)

SAFE MODE

When the battery is low, the light will turn to 50% flash mode automatically to last another 20 mins before it totally switches off due to being out of power.

LW-CUBE200

50 LUMENS	20PCS COB CHIPS (LED A, flood light) + 1PC XPE LED (LED B, spotlight)	TYPE C	400 MAH BUILT-IN LI-POLY	IP65 WATERPROOF	DAYTIME RUNNING LIGHT	CNC	ALLOY

NEW

Mode & Runtime:

Long press = on/off，When it is on, click switch to change modes: Steady: LED A 100% steady(LED B off, 1.5h+30mins safe mode)- LED A 50% Steady (B off, 4h+30mins safe mode) - LED B 100% steady (LED A off, 2h+30mins safe mode）- LED B 50% Steady (LED A off，4h+30mins safe mode) - All LED 100% steady (1.5h+30mins safe mode）- All LED 50% Steady (3h + 30mins safe mode) Flash modes: LED A 2HZ flash（LED B off,4h+30mins safe mode)- LED B 2HZ flash（4h+30mins safe mode）- LED A and LED B flash double flash(4h+30mins safe mode）- LED A steady and LED B 2HZ flash(2h+30mins safe mode）
With mode memory function

Size (W/O bracket): 38.5(L)*29(W)*32.2(D)MM

N.W (W/ bracket): 40.3g



1PC XP-E2 White LED (LED B, spotlight)



WHAT'S IN THE PACKAGE

SAFE MODE

When the battery is low, the light will turn to 5 lumens steady mode automatically to last another 30 mins before it totally switches off due to being out of power.

LW-CUBE200F

200 LUMENS

20PCS Red COB CHIPs (LED A, flood light) + 1pc XP-E2 White LED (LED B, spotlight)

TYPE C

400 MAH BUILT-IN LI-POLY

IP65 WATERPROOF

DAYTIME RUNNING LIGHT

CNC

ALLOY

NEW

Size (W/O bracket):
38.5(L)*29(W)*32.2(D)MM

N.W (W/ bracket): 40.3g



DAYTIME
RUNNING LIGHT

WHAT'S IN THE PACKAGE



Mode & Runtime:

Mode: Long press = on/off，When it is on, click switch to change modes: Steady: LED A 100% steady(LED B off, 1.5h+20mins safe mode）- LED A 50% Steady (B off, 4h+20mins safe mode) - LED B 100% steady (LED A off, 2h+20mins safe mode）- LED B 50% Steady (LED A off，4h+20mins safe mode) - All LED 100% steady (1.5h+20mins safe mode）- All LED 50% Steady (3h + 20mins safe mode) Flash modes: LED A 2HZ flash（LED B off, 4h+20mins safe mode）- LED B 2HZ flash（4h+20mins safe mode）-LED A and LED B flash double flash（4h+20mins safe mode）- LED A steady and LED B 2HZ flash（2h+20mins safe mode）
With mode memory function

SAFE MODE When the battery is low, the light will turn to 50% LED B flash mode automatically to last another 20 mins before it totally switches off due to being out of power.

LW-CUBE200R

70 LUMENS	20PCS Red COB CHIPS (LED A, flood light) + 1PC XP-E2 Red LED (LED B, spotlight)	TYPE C	400 MAH BUILT-IN LI-POLY	IP65 WATERPROOF	DAYTIME RUNNING LIGHT	CNC	ALLOY

NEW

Size (W/O bracket):
38.5(L)*29(W)*30(D)MM

N.W (W/ bracket): 35g

Specially designed optical lens to make the LED beam directly against different angles

WHAT'S IN THE PACKAGE



DIRECT BEAMING
AGAINST DIFFERENT ANGLES

Mode & Runtime:

Long press = on/off，When it is on, click switch to change modes: 25% Steady (9h+1h safe mode)-50% steady(4.5h+1h safe mode)-100% steady (2h15mins+1h safe mode)-50% slow flash(2HZ, 9h)-100% slow flash（2HZ, 4.5h+1h safe mode)- double flash（4h+1h safe mode）- breathing (4h+1h safe mode)，
With mode memory function

SAFE MODE When the battery is low, the light will turn to double flash mode automatically to last another 60 mins before it totally switches off due to being out of power.

LW-CUBE100

50 LUMENS	24 PCS COB LED CHIPS	TYPE C	400 MAH BUILT-IN LI-POLY	IP65 WATERPROOF	CNC	ALLOY

NEW

∅ Head Diameter: 29mm

∅ Tail Diameter: 26 5mm

L:95.5MM

N.W (W/ bracket): 120g

POWER INDICATOR

WHAT'S IN THE PACKAGE

Mode & Runtime:

100% Steady（1.5h+0.5h safe mode)-50% Steady (3h+0.5h safe mode)-25% Steady (6h+0.5h safe mode)- Slow flash（2hz, 3h+0.5h safe mode)-SOS

Press & hold switch for 1 second to switch on/off

With mode memory function

SAFE MODE When the battery is low, the light will turn to 30 lumens safe mode automatically and last for another 30mins.

LW-F600 MAGCLIP

700 LUMENS | CREE XP - G3 LED | TYPE C | 1400 MAH LI-ION BATTERY | IP65 WATERPROOF | CNC | ALLOY

NEW



Mode & Runtime:

100% Steady（2h20mins+40mins safe mode)-50% Steady (4.5h+ 40mins safe mode)-25% Steady (9h+40mins safe mode)- Slow flash (2hz, 4.5h+40mins safe mode)-SOS (5h+40mins safe mode)
Press & hold switch for 1 second to switch on/off
With mode memory function

∅ Head Diameter: 29mm
∅ Tail Diameter: 26 5mm
L:110MM
N.W (W/ bracket): 140g

POWER INDICATOR

MAGNETIC TAIL TO PUT ON ANY METAL PLATE FOR USE AS A WORKLIGHT

WHAT'S IN THE PACKAGE

SAFE MODE When the battery is low, the light will turn to 50 lumens safe mode automatically and last for another 40mins.

LW-F800 MAGCLIP

900 LUMENS | SAMSUNG LH-351D 10W LED | TYPE C | 2600 MAH LI-ION BATTERY | IP65 WATERPROOF | CNC | ALLOY

NEW



Mode & Runtime:

100% Steady（1.5h+0.5h safe mode)-50% Steady (3h+0.5h safe mode)-25% Steady (6h+0.5h safe mode)- Slow flash（2hz, 3h+0.5h safe mode)-SOS

Press & hold switch for 1 second to switch on/off

With mode memory function

∅ Head Diameter：29mm

∅ Tail Diameter：26 5mm

L:95.5MM

N.W (W/ bracket): 120g

POWER INDICATOR

TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

SAFE MODE When the battery is low, the light will turn to 30 lumens safe mode automatically and last for another 30mins.

LW-F600

700 LUMENS | CREE XP - G3 LED | TYPE C | 1400 MAH LI-ION BATTERY | IP65 WATERPROOF | CNC | ALLOY

NEW



Mode & Runtime:

100% Steady（2h20mins+40mins safe mode)-50% Steady (4.5h+ 40mins safe mode)-25% Steady (9h+40mins safe mode)- Slow flash（2hz, 4.5h+40mins safe mode)-SOS (5h+40mins safe mode)
Press & hold switch for 1 second to switch on/off
With mode memory function

∅ Head Diameter: 29mm
∅ Tail Diameter: 26 5mm
L:110MM
N.W (W/ bracket): 140g

POWER INDICATOR

TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

SAFE MODE When the battery is low, the light will turn to 50 lumens safe mode automatically and last for another 40mins.

LW-F800

900 LUMENS

SAMSUNG LH-351D 10W LED

TYPE C

2600 MAH LI-ION BATTERY

IP65 WATERPROOF

CNC

ALLOY

NEW



H:38MM

∅ Diameter: 30mm

N.W (W/ bracket): 29g

TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

Mode & Runtime:

Mode: Long press = on/off, When it is on, click switch to change modes: 100% steady（3h+40mins safe mode)-50% steady (6h+40mins safe mode)-slow flash（2hz)（6h+40mins safe mode)-double flash (8h+40mins safe mode)- breathing (6h+40mins safe mode)
With mode memory function

SAFE MODE When the battery is low, the light will turn to double flash mode automatically to last another 40 mins before it totally switches off due to being out of power.

LW-R20

20 RED LUMENS
50 WHITE LUMENS

1W SMD LED

TYPE C

220 MAH BUILT-IN LI-POLY

IP65 WATERPROOF

CNC

ALLOY

NEW

Size (W/O bracket):
33(L)*16(H)*33(W)MM

N.W (W/ bracket): 19g

14 PCS COB LED CHIPS



TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

Mode & Runtime:

25%(8h+1h safe mode)-50%(4h+1h safe mode)-100% (2h+1h safe mode)-
4 Flash modes (5h-10h +1h safe mode) ,
Long press=on/off, Mode memory function
Press & hold switch for 2 seconds=on/off, double click switch=toggle between flash modes and steady modes
With function memory

SAFE MODE

When the battery is low, the light will turn to flash mode automatically to last another 60 mins before it totally switches off due to being out of power.

LW-R30

30 LUMENS	14PCS COB LED CHIPS	TYPE C	300MAH BUILT-IN LI-POLY	IP65 WATERPROOF	PLASTIC

NEW

Mode & Runtime:

100% steady(1h+1h safe mode)-30% steady(2.5h+1h safe mode)-20% steady & 40% flash(2.5h+1h safe mode)-100% 2hz slow flash（7.5h+1h safe mode) -Chasing1(6h+1h safe mode)-middle steady & 2 sides flash (1.5h+1h safe mode)-middle & 2 sides flash (2h+1h safe mode)-chasing2(7.5h+1h safe mode)，
Press & hold switch for 2 seconds=off
With function memory

Size (W/O bracket):
65(L)*35(H)*45(W)MM

N.W (W/ bracket): 60g

130PCS COB LED CHIPS



TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

SAFE MODE

When the battery is low, the light will turn to flash mode automatically to last another 60 mins before it totally switches off due to being out of power.

LW-R200

100 LUMENS	130PCS COB LED CHIPS	TYPE C	800 MAH LI-ION BATTERY	IP65 WATERPROOF	PLASTIC

NEW

Mode & Runtime:

100% steady(1h+1h safe mode)-30% steady(2h45mins+1h safe mode)-20% steady & 40% flash(3.5h+1h safe mode)-100% 2hz slow flash(4.5h+1h safe mode) -Chasing1(6.5h+1h safe mode)-middle steady & 2 sides flash (1.5h+1h safe mode)-middle & 2 sides flash (2.5h+1h safe mode)-chasing2(14h+1h safe mode),
Press & hold switch for 2 seconds=off
With function memory

Size (W/O bracket):
45(L)*35(H)*45(W)MM

N.W (W/ bracket):35g

91 PCS COB LED CHIPS



TYPE C 2A QUICK CHARGING PORT

WHAT'S IN THE PACKAGE

SAFE MODE

When the battery is low, the light will turn to flash mode automatically to last another 60 mins before it totally switches off due to being out of power.

LW-R100

50 LUMENS	91 PCS COB LED CHIPS	TYPE C	350MAH BUILT-IN LI-POLY	IP65 WATERPROOF	PLASTIC

NEW

FRONT LIGHT: LW-F600

700 LUMENS	CREE XP - G3 LED	TYPE C	1400 MAH LI-ION BATTERY	IP65 WATERPROOF	CNC	ALLOY

TAIL LIGHT: LW-R20

20 LUMENS	1W SMD LED	TYPE C	220 MAH BUILT-IN LI-POLY	IP65 WATERPROOF	CNC	ALLOY

NEW

FRONT LIGHT: LW-F800

900 LUMENS	SAMSUNG LH-351D 10W LED	TYPE C	2600 MAH LI-ION BATTERY	IP65 WATERPROOF	CNC	ALLOY

TAIL LIGHT: LW-R20

20 LUMENS	1W SMD LED	TYPE C	220 MAH BUILT-IN LI-POLY	IP65 WATERPROOF	CNC	ALLOY